ORWAK MULTI 5070-HDC

THIS MULTI-CHAMBER BALER provides sorting and compaction of different types of materials in one machine! The ORWAK MULTI 5070-HDC, the heavy-duty version of the standard 5070, is robust and versatile and offers crossbinding of the bales.

Multi-chamber



Orwak benefits

MORE PRODUCTIVE USE OF TIME

Less time spent on waste handling, more time for your core activities!

MORE SPACE & ORDER

Our balers rapidly minimizes the space the waste takes up,keeping aisles free and tidy.

LESS COSTS, MORE VALUE

More compaction = less waste volume to transport. Fewer transports required results in lower transportation costs and reduced CO_2 emissions. Sorting at source yields a higher quality of waste material for recycling.



CARDBOARD



www.orwak.com

Why Orwak Multi?

 Sorting and compaction of several waste types at source

ORWAK 5070

DO TO STATE

- + Top-loading of the material in open chambers
- Total freedom to increase capacity by adding additional chambers





ORWAK MULTI5070-HDC

Unique multiple-strap option

The 5070-HDC is a more powerful version of the standard model 5070 and provides volume reduction of up to 10:1. The HDC-version takes on the really tough jobs and compacts PET bottles, jugs and even light wood packaging.

We are unique in offering cross-strapping on a multichamber baler. The bales are secured under pressure with 2-6 straps depending on the material and handling requirements for the finished bales.

ORWAK MULTI 5070-HDC IS OPTIMIZED FOR:

PAPER

- + Paper sacks
- + Cardboard
- + Shredded paper

METAL CANS + Food cans

OTHER METALS

+ Steel straps

+ Paint cans

+ Jugs/bottles

OTHER PLASTICS

PLASTIC CONTAINERS

PLASTIC FOIL

+ Shrink film

+ Plastic bags

+ Pet bottles

+ Plastic straps

EFFECTIVE COMPACTION

Long piston stroke produces highly compacted bales!







MULTI-CHAMBER SOLUTION

This is a multiple-chamber solution. It forms a mini recycling point for the sorting of different types of material.

EXTENDABLE SYSTEM

Add an additional chamber to extend your sorting and compaction station!

EFFICIENCY

Whilst the baler compacts the material in one chamber, the other is open and ready to be fed with more material!

BALE TROLLEY

The baler is always delivered with a trolley for easy baling and internal transportation of the bale.

DIMENSIONS & SPECIFICATIONS

A B C D E 7'4" 69" 33"* 56" 48"	DIMENSIONS									
7'4" 69" 33"* 56" 48"	A	В	с	D	E					
	7'4"	69"	33"*	56"	48"					

*Including strap holders

WEIGHT (MACHINE) TOTAL: 1.873 lbs EA CD 28"x 20" B

TECHNICAL SPECIFICATIONS

LOADING APERTURE	CYCLE TIME	PRESS FORCE	BALESIZE	BALE WEIGHT	NOISE LEVEL	PROTECTION CLASS	OPERATING POWER
Width: 28" Height: 20"	20 secs	22,000 lbs	Width: 28" Depth: 20" Height: 28"	Cardboard: Up to 190 lbs Plastic: Up to 220 lbs	< 72db (A)	IP 55	208 V/3/60 Hz, 460 V/3/60 Hz

We reserve the right to make changes to specifications without prior notice. Bale weights are dependent upon material type

$\square \cap R \setminus A$

TOMRA North America, Inc. 88 Long Hill Cross Road, Shelton, CT 06484, USA Phone: +1-800-747-0449 www.tomra.com